

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier:

· **Trade name: MagReSyn® SAX**

· **Product number:** MR-SAX002 (2 ml); MR-SAX005 (5 ml); MR-SAX010 (2 x 5 ml)

· **REACH Registration number:** Not relevant

### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

· **Product category** Magnetic microparticles for hydrophilic interaction chromatography

### Application of the substance / the mixture:

Magnetic microparticles suspended in an aqueous solution with ethanol. The product is intended for biomolecule or chemical ligand immobilization for a variety of subsequent end-user applications in research and development. This product is for research and development use only.

### Uses advised against

It is not intended for any animal or human therapeutic or diagnostic use unless otherwise stated.

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

ReSyn Biosciences Pty Ltd  
Building 20  
CSIR  
Meiring Naude Road  
Brummeria  
Pretoria  
South Africa  
0184

+27128414153

· **1.4 Emergency telephone number:** +27128414153

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

### 2.2 Label elements

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS02



GHS07

· **Signal word:** Danger

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

**Trade name: MagReSyn® SAX**

(Contd. of page 1)

· **Hazard-determining components of labelling:**

Ethanol

· **Hazard statements:**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Precautionary Statements:**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

Contains 0 % of components with unknown hazards to the aquatic environment.

· **2.3 Other hazards:** None known

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.1 Chemical characterisation: Mixtures**

2% MagReSyn® SAX Microparticles

Polymer coated microparticles: (20 mg per ml, no CAS number, consists of 60% magnetite and 40% polymer, polymer is a polyethyleneimine derivative)

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 64-17-5	Ethanol	☞ Flam. Liq. 2, H225; ☞ Eye Irrit. 2, H319; STOT SE 3, H335	15-35%
EINECS: 200-578-6			
RTECS: KQ 6300000			

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

Trade name: **MagReSyn® SAX**

(Contd. of page 2)

- **After eye contact:**  
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.  
If easy to do so, remove contact lenses if worn.  
If eye irritation occurs, consult a doctor.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture:** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear to prevent contact with skin and eyes.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents  
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

**Trade name: MagReSyn® SAX**

(Contd. of page 3)

- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

### 64-17-5 Ethanol

AGW (Germany)	Long-term value: 380 mg/m <sup>3</sup> , 200 ppm 4(II);DFG, Y
---------------	--

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves:**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

- **8.2.3 Environmental exposure controls:** None

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Suspension

**Colour:** Black

- **Odour:** Slight

- **pH-value:** Not determined.

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

Trade name: MagReSyn® SAX

(Contd. of page 4)

- **Change in condition**
  - Melting point/freezing point:** Not determined.
- **Flash point:** 16 °C
- **Flammability (solid, gas):** Not applicable.
- **Ignition temperature:** Not applicable
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not self-igniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Explosion limits:**
  - Lower:**  $\geq 3,5$  Vol %
  - Upper:**  $\leq 15$  Vol %
- **Vapour pressure @ 20 °C:**  $\leq 59$  hPa
- **Density:**
  - Relative density:** Not determined.
  - Vapour density:** Not determined.
  - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with water:** Miscible
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 20,0 %
  - Water:** 78,0 %
  - VOC content:** 20,00 %
  - Solids content:** 2 %
- **9.2 Other information** No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No further relevant information available.
- **10.2 Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** Heat, flame and ignition sources.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

Trade name: **MagReSyn® SAX**

(Contd. of page 5)

· <b>LD/LC50 values relevant for classification:</b>		
<b>64-17-5 Ethanol</b>		
Oral	LD50	7.060 mg/kg (Rat)
Inhalative	LC50/4 h	20.000 mg/l (Rat)
	LC50/96 hours	12.900-15.300 mg/l (Trout)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Sensitisation:** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (Specific target organ toxicity)-single exposure**  
May cause respiratory irritation.
- **STOT (Specific target organ toxicity)-repeated exposure**  
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### · 12.1 Toxicity

· <b>Aquatic toxicity:</b>	
<b>64-17-5 Ethanol</b>	
EC50	34.900 mg/l (Daphnia)

- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR/ADN, IMDG, IATA** Limited Quantity

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

**Trade name: MagReSyn® SAX**

(Contd. of page 6)

- 14.2 UN proper shipping name
- ADR/ADN, IMDG, IATA
- 14.3 Transport hazard class(es)
- ADR/ADN

Limited Quantity



Limited Quantity

- Class
- Label

3 (F1) Flammable liquids.  
3

- IMDG, IATA



Limited Quantity

- Class
- Label

3 Flammable liquids.  
3+ID8000

- 14.4 Packing group
- ADR/ADN, IMDG, IATA
- 14.5 Environmental hazards:
- 14.6 Special precautions for user
- Hazard identification number (Kemler code):
- EMS Number:
- Stowage Category
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code
- Transport/Additional information:

II  
Not applicable.  
Warning: Flammable liquids.  
33  
F-E,S-D  
A  
Not applicable.

- ADR/ADN
- Limited quantities (LQ)
- Excepted quantities (EQ)

1L  
Limited quantities of dangerous goods packed in such limited quantities, meeting the provisions of Chapter 3.4 DANGEROUS GOODS PACKED IN LIMITED QUANTITIES are NOT subject to any other provisions of ADR except the relevant provisions of:  
(a) Part 1, Chapters 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.8, 1.9;  
(b) Part 2;  
(c) Part 3, Chapters 3.1, 3.2, 3.3 (except special provisions 61, 178, 181, 220, 274, 625, 633 and 650 (e));  
(d) Part 4, paragraphs 4.1.1.1, 4.1.1.2, 4.1.1.4 to 4.1.1.8;  
(e) Part 5, 5.1.2.1(a) (i) and (b), 5.1.2.2, 5.1.2.3, 5.2.1.10, 5.4.2;

(Contd. on page 8)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

Trade name: **MagReSyn® SAX**

(Contd. of page 7)

- (f) Part 6, construction requirements of 6.1.4 and paragraphs 6.2.5.1 and 6.2.6.1 to 6.2.6.3;
- (g) Part 7, Chapter 7.1 and 7.2.1, 7.2.2, 7.5.1 (except 7.5.1.4), 7.5.2.4, 7.5.7, 7.5.8 and 7.5.9;
- (h) 8.6.3.3 and 8.6.4.

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

2

D/E

- **Transport category**
- **Tunnel restriction code**

· **IMDG**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **IATA**

· **Remarks:**

Code: E1

Excepted Quantity Shipment

Code	Maximum Quantity (inner package)	Maximum Quantity per outer package
E0	Not permitted	Not permitted
E1	30g / 30ml	1Kg / 1L
E2	30g / 30ml	500g / 500ml
E3	30g / 30ml	300g / 300ml
E4	1g / 1ml	500g / 500ml
E5	1g / 1ml	300g / 300ml

Quantity per outer package

E0 Not permitted

Not permitted

permitted

E1 30g / 30ml

1Kg / 1L

E2 30g / 30ml

500g /

500ml

E3 30g / 30ml

300g /

300ml

E4 1g / 1ml

500g /

500ml

E5 1g / 1ml

300g /

300ml

· **UN "Model Regulation":**

Non-Regulated Material

## SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU** Substance is not listed.

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

· **Seveso category** P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)** Substance is not listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2021

Version number 1

Revision: 04.03.2021

**Trade name: MagReSyn® SAX**

(Contd. of page 8)

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106