

according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier:
- · Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP
- · Product number:

MR-ZRM002 (2 ml); MR-ZRM005 (5 ml); MR-ZRM010 (2 x 5 ml) MR-ZHP002 (2 ml); MR-ZHP005 (5 ml); MR-ZHP010 (2 x 5 ml)

- · REACH Registration number: Not relevant
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:
- · Product category Magnetic microparticles for phosphopeptide enrichment
- · Application of the substance / the mixture:

Magnetic microparticles suspended in an aqueous solution with ethanol. The product is intended for biomolecule (specifically phosphopeptide) immobilization for a variety of subsequent end-user applications in research and development. This product is for research and development use only.

· Uses advised against

It is not intended for any animal or human therapeutic or diagnostic use unless otherwise stated.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ReSyn Biosciences Pty Ltd

**Building 20** 

**CSIR** 

Meiring Naude Road

Brummeria

Pretoria

South Africa

0184

+27128414153

· 1.4 Emergency telephone number: +27128414153

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP

(Contd. of page 1)

· Signal word: Danger

Hazard-determining components of labelling:

Ethanol

· Hazard statements:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary Statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

Contains 0 % of components with unknown hazards to the aquatic environment.

- 2.3 Other hazards: None known
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.1 Chemical characterisation: Mixtures

2% MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP microparticles

Polymer coated microparticles: (20 mg per ml, no CAS number, consists of 60% magnetite and 40% polymer, polymer is a polyethyleneimine derivative)

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 64-17-5 EINECS: 200-578-6 RTECS: KQ 6300000		♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H335	15-35%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

### · 4.1 Description of first aid measures

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP

(Contd. of page 2)

## · After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet.
- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear to prevent contact with skin and eyes.

## SECTION 6: Accidental release measures

## · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers, surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

# · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

## · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

#### 64-17-5 Ethanol

AGW (Germany) Long-term value: 380 mg/m³, 200 ppm 4(II):DFG, Y

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

#### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

· 8.2.3 Environmental exposure controls: None

# SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Suspension
Colour: Black
Odour: Slight

· **pH-value:** Not determined.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP

(Contd. of page 4)

· Change in condition

**Melting point/freezing point:** Not determined.

· Flash point: 16 °C

Flammability (solid, gas): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not self-igniting.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

· Explosion limits:

 Lower:
 ≥3,5 Vol %

 Upper:
 ≤15 Vol %

 • Vapour pressure @ 20 °C:
 ≤59 hPa

· Density:

Relative density:Not determined.Vapour density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with

water: Miscible

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 20,0 %

 Water:
 78,0 %

 VOC content:
 20,00 %

 Solids content:
 2 %

• 9.2 Other information No further relevant information available.

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity: No further relevant information available.
- · 10.2 Chemical stability: Product is stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: Heat, flame and ignition sources.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP

(Contd. of page 5)

· LD/LC50 values relevant for classification:				
64-17-5 E	4-17-5 Ethanol			
Oral	LD50	7.060 mg/kg (Rat)		
Inhalative	LC50/4 h	20.000 mg/l (Rat)		
	LC50/96 hours	12.900-15.300 mg/l (Trout)		

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- Sensitisation: Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (Specific target organ toxicity)-single exposure

May cause respiratory irritation.

STOT (Specific target organ toxicity)-repeated exposure

Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

## 64-17-5 Ethanol

EC50 34.900 mg/l (Daphnia)

- 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR/ADN, IMDG, IATA

**Limited Quantity** 



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

Limited Quantity

Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP

(Contd. of page 6)

- · 14.2 UN proper shipping name
- ADR/ADN, IMDG, IATA
- · 14.3 Transport hazard class(es)
- · ADR/ADN





Limited Quantity

· Class

3 (F1) Flammable liquids.

· Label

· IMDG, IATA





Limited Quantity

· Class 3 Flammable liquids.

3+ID8000 · Label

· 14.4 Packing group

· ADR/ADN, IMDG, IATA

· 14.5 Environmental hazards: Not applicable.

· 14.6 Special precautions for user Warning: Flammable liquids.

· Hazard identification number (Kemler code): 33 · EMS Number:

· Stowage Category

F-E,S-D

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR/ADN

· Limited quantities (LQ)

· Excepted quantities (EQ)

Limited quantities of dangerous goods packed in such limited quantities, meeting the provisions of

Chapter 3.4 DANGEROUS GOODS PACKED IN LIMITED

QUANTITIES are NOT subject to any other provisions of ADR except the relevant provisions of:

- (a) Part 1, Chapters 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.8, 1.9;
- (b) Part 2;
- (c) Part 3, Chapters 3.1, 3.2, 3.3 (except special provisions 61, 178, 181, 220, 274, 625, 633

and 650 (e));

(d) Part 4, paragraphs 4.1.1.1, 4.1.1.2, 4.1.1.4 to 4.1.1.8;

(e) Part 5, 5.1.2.1(a) (i) and (b), 5.1.2.2, 5.1.2.3, 5.2.1.10,

5.4.2;

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP

(Contd. of page 7)

(f) Part 6, construction requirements of 6.1.4 and

paragraphs 6.2.5.1 and 6.2.6.1 to 6.2.6.3;

(g) Part 7, Chapter 7.1 and 7.2.1, 7.2.2, 7.5.1 (except

7.5.1.4), 7.5.2.4, 7.5.7, 7.5.8 and 7.5.9;

(h) 8.6.3.3 and 8.6.4.

Code: E2

D/E

1L

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Transport category · Tunnel restriction code

· IMDG

Limited quantities (LQ)

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· IATA

· Remarks: Code: E1

**Excepted Quantity Shipment** 

Code Maximum Quantity (inner package) Maximum

Quantity per outer package

E0 Not permitted Not

permitted

E1 30g / 30ml 1Kg / 1L

E2 30g / 30ml 500g /

500ml

E3 30g / 30ml 300g /

300ml

E4 1g / 1ml 500g /

500ml

E5 1g / 1ml 300g /

300ml

· UN "Model Regulation": Non-Regulated Material

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU Substance is not listed.
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) Substance is not listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)





according to 1907/2006/EC, Article 31

Printing date 04.03.2021 Version number 1 Revision: 04.03.2021

Trade name: MagReSyn® Zr-IMAC & MagReSyn® Zr-IMAC HP

(Contd. of page 8)

## · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

## · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

## \* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106